# **Safety Data Sheet**

Issue Date: 01-Sep-2012

Revision Date: 13-Aug-2015

Version 1

# 1. IDENTIFICATION

**Product Identifier** 

**Product Name** 

OUT PLUG NO FUME

Other means of identification

SDS#

SDM-024

**Product Code** 

03-1232, 03-1235, 03-1237, 03-1239

UN/ID No

UN3266

Recommended use of the chemical and restrictions on use

Recommended Use

No information available.

Details of the supplier of the safety data sheet

Supplier Address

Cleaning Ideas Corp. P.O. Box 7269

San Antonio, TX 78207

**Emergency Telephone Number** 

Company Phone Number Emergency Telephone (24 hr) Phone: 1-210-227-9161 Fax: 1-210-227-0002

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Physical State Liquid

#### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

#### Signal Word

Danger

# **Hazard Statements**

Causes severe skin burns and eye damage



# Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### Precautionary Statements - Storage

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Harmful to aquatic life with long lasting effects

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Caustic Soda	1310-73-2	5-15

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

### First Aid Measures

General Advice Provide this SDS to medical personnel for treatment.

Eye Contact It may take less than 10 seconds to cause permanent eye damage. Immediately flush eyes

with water for 30 minutes while lifting the upper and lower lids. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain immediate medical attention, preferably

Revision Date: 13-Aug-2015

from an ophthalmologist.

**Skin Contact** Remove contaminated clothing, wash thoroughly before reuse. Wash with plenty of water.

Apply a topical antiseptic agent. If skin irritation persists, call a physician.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Immediately call a poison center or doctor/physician.

Ingestion Never give anything by mouth to an unconscious person. DO NOT induce vomiting, give

large amounts of water or milk to dilute, get immediate medical attention.

#### Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage.

# Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

Page 2/8

# 5. FIRE-FIGHTING MEASURES

# Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

# Specific Hazards Arising from the Chemical

Material is corrosive.

Hazardous Combustion Products Carbon monoxide.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Wear protective clothing a

Wear protective clothing as described in Section 8 of this safety data sheet.

**Environmental Precautions** 

Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

Revision Date: 13-Aug-2015

# Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up

Dilute with large amount of water. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean up in accordance with all applicable regulations. Dispose of in accordance with federal, state and local regulations.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Follow all product label instructions. Use only as directed. Wash face, hands, and any exposed skin thoroughly after handling. Do not breathe dust/fume/gas/mist/vapors/spray. Wear protective gloves/protective clothing and eye/face protection.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** 

Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of the reach of children. Keep container closed when not in use. Protect from extreme temperatures. Keep/store only in original container. Consult local authorities for approved method of disposal. See also Section 13 of this SDS. Store locked up.

Incompatible Materials

Strong acids. Leather. Wool. Aluminum, zinc, tin, and their alloys.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Caustic Soda	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>

Revision Date: 13-Aug-2015

#### Appropriate engineering controls

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

#### Individual protection measures, such as personal protective equipment

Eye/Face Protection Goggles. Refer to 29 CFR 1910.133 for eye and face protection regulations.

Skin and Body Protection Rubber gloves. Wear suitable protective clothing. Refer to 29 CFR 1910.138 for appropriate

skin and body protection.

Respiratory Protection Ensure adequate ventilation, especially in confined areas. In case of inadequate ventilation

wear respiratory protection. Refer to 29 CFR 1910.134 for respiratory protection

Not determined

Not determined

requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical State Liquid

Appearance Not determined Odor Color Not determined **Odor Threshold** 

Remarks • Method

Not determined

Not determined

Property Values Not determined Melting Point/Freezing Point Not determined Boiling Point/Boiling Range Not determined Flash Point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) N/A-liquid **Upper Flammability Limits** Not determined Lower Flammability Limit Not determined Vapor Pressure Not determined **Vapor Density** Not determined Specific Gravity Not determined Water Solubility Not determined Solubility in other solvents Not determined Partition Coefficient Not determined Auto-ignition Temperature Not determined **Decomposition Temperature** Not determined Kinematic Viscosity Not determined Dynamic Viscosity Not determined

# 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

#### Chemical Stability

**Explosive Properties** 

**Oxidizing Properties** 

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

Revision Date: 13-Aug-2015

#### Conditions to Avoid

See Sec. 7 Handling & Storage.

# Incompatible Materials

Strong acids. Leather. Wool. Aluminum, zinc, tin, and their alloys.

# **Hazardous Decomposition Products**

Carbon monoxide.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information

**Eye Contact** 

Causes severe eye damage.

Skin Contact

Causes severe skin burns.

Inhalation

Do not inhale.

Ingestion

Do not ingest.

#### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Caustic Soda 1310-73-2	P2 -	= 1350 mg/kg ( Rabbit )	<u> </u>

# Information on physical, chemical and toxicological effects

Symptoms

Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Based on the information provided, this product does not contain any carcinogens or

potential carcinogens as listed by OSHA, IARC or NTP.

#### Numerical measures of toxicity

Not determined

# 12. ECOLOGICAL INFORMATION

# Ecotoxicity

Harmful to aquatic life with long lasting effects.

### Component Information

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Caustic Soda 1310-73-2		45.4: 96 h Oncorhynchus mykiss mg/L LC50 static		6

# Persistence/Degradability

Not determined.

SDM-024 - OUT PLUG NO FUME

Bioaccumulation

Not determined.

Mobility

Not determined

Other Adverse Effects

Not determined

# 13. DISPOSAL CONSIDERATIONS

**Waste Treatment Methods** 

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Caustic Soda	Toxic
1310-73-2	Corrosive

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

Revision Date: 13-Aug-2015

limited quantity exception.

DOT

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

Hazard Class 8
Packing Group ||

IATA

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

Hazard Class 8
Packing Group ||

IMDG

UN/ID No UN3266

Proper Shipping Name Corrosive liquid, basic, inorganic, n.o.s. (Sodium Hydroxide)

Hazard Class 8
Packing Group ||

Marine Pollutant This material may meet the definition of a marine pollutant

# Revision Date: 13-Aug-2015

# International Inventories

#### **Chemical Name** DSL NDSL **TSCA** EINECS ELINCS **ENCS IECSC** KECL **PICCS** AICS Caustic Soda Present X Present Present Present X Χ

15. REGULATORY INFORMATION

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

# **SARA 313**

Not determined

# CWA (Clean Water Act)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda	1000 lb			X

# **US State Regulations**

# California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Caustic Soda 1310-73-2	X	Х	X

SDM-024 - OUT PLUG NO FUME

16. OTHER INFORMATION

NFPA

Health Hazards Not determined

Flammability Not determined Instability Not determined

Special Hazards Not determined Personal Protection

Revision Date: 13-Aug-2015

HMIS

**Health Hazards** Not determined

Flammability Not determined Physical Hazards Not determined

Not determined

Issue Date:

01-Sep-2012 13-Aug-2015

Revision Date: **Revision Note:** 

New format

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**